






















## Brass Barb Fittings, Tubing, and Accessories

Product	Code Number	Description and Use												
	F-1000-320 F-1000-2	<b>Tubing Clamps: Barrel Type</b> For Flexible Tubing <b>Tubing Size:</b> 5/32 in. O.D. (100 pk) 1/4 in. O.D. (100 pk)												
	F-1000-3 F-1000-4 F-1000-5	<b>Sealing Caps: Rubber (100 pks)</b> For use with Copper and Plastic Tubing <b>Tubing Size:</b> 3/16 in. Tubing and Barbed Fittings for 1/4 in. Tubing 1/4 in. Tubing and Barbed Fittings for 3/8 in. Tubing 3/8 in. Tubing These are not for permanent installations; use only during construction.												
	F-1000-361	<b>Sealing Cap</b> with Test Point for 1/4 in. Barb Fitting (10 pk)												
	F-1000-231 F-1000-324  F-1000-355  F-1000-397	<b>Blue Urethane Tubing:</b> Max Temp 140°F Max Press 25 psig 1/4 in. O.D. x 1/8 in. I.D. 5/32 in. O.D. x 3/32 in. I.D. Code number represents 1 foot of tubing (order in multiples of 100 ft). 1/8 in. O.D. x 1/16 in. I.D. Code number represents 1 ft of tubing (order in multiples of 50 ft). 5/32 in O.D. x 3/32 in. I.D. Code number represents 1 ft of tubing (order in multiples of 25 ft).												
	F-1000-153 F-1000-322 F-1000-395	<b>Spring Inserts: Anti-Kink</b> To insert inside: <table border="1"> <thead> <tr> <th>Tubing L.D. (in.)</th> <th>Spring Length (in.)</th> <th>Material</th> </tr> </thead> <tbody> <tr> <td>1/8</td> <td>10</td> <td>Brass (50 pk)</td> </tr> <tr> <td>3/32</td> <td>8</td> <td>S.S. (50 pk)</td> </tr> <tr> <td>3/32</td> <td>8</td> <td>S.S. (10 pk)</td> </tr> </tbody> </table>	Tubing L.D. (in.)	Spring Length (in.)	Material	1/8	10	Brass (50 pk)	3/32	8	S.S. (50 pk)	3/32	8	S.S. (10 pk)
Tubing L.D. (in.)	Spring Length (in.)	Material												
1/8	10	Brass (50 pk)												
3/32	8	S.S. (50 pk)												
3/32	8	S.S. (10 pk)												
	F-300-31 F-300-30 F-300-26 F-300-27 F-300-21 F-300-20 F-300-19 F-300-32 F-300-33 F-300-34 F-300-35 F-200-36	<b>Couplings: Straight</b> Barb x Barb <b>Size (in.):</b> 5/32 x 5/32 (100 pk) 1/4 x 5/32 (100 pk) 1/4 x 1/4 (100 pk) 3/8 x 3/8 (50 pk) 3/8 x 1/4 (50 pk) 1/2 x 1/4 (50 pk) 1/2 x 3/8 (50 pk) 3/8 x 1/4 (10 pk) 1/4 x 1/4 (10 pk) 1/4 x 5/32 (10 pk) 5/32 x 5/32 (10 pk) 1/2 x 1/2 (50 pk)												









**Brass Barb Fittings, Tubing, and Accessories (Continued)**



Product	Code Number	Description and Use
	<p>F-500-39 F-500-38 F-500-37 F-500-45 F-500-47</p>	<p><b>Couplings: Elbow</b> Barb x Barb <b>Size (in.):</b> 1/4 x 1/4 (50 pk) 3/8 x 3/8 (100 pk) 1/2 x 1/2 (50 pk) 5/32 x 5/32 (Plastic, 50 pk) 1/4 x 1/4 (10 pk)</p>
	<p>F-700-83 F-700-94 F-700-86 F-700-84 F-700-95 F-700-73 F-700-90 F-700-85 F-700-74 F-700-91 F-700-75 F-700-92 F-700-67 F-700-66 F-700-65</p>	<p><b>Couplings: Tee</b> Barb x Barb x Barb <b>Size (in.):</b> 5/32 x 5/32 x 5/32 (Brass, 50 pk) 5/32 x 5/32 x 5/32 (Brass, 10 pk) 5/32 x 5/32 x 5/32 (Plastic, 100 pk) 1/4 x 1/4 x 5/32 (100 pk) 1/4 x 1/4 x 5/32 (10 pk) 1/4 x 1/4 x 1/4 (100 pk) 1/4 x 1/4 x 1/4 (10 pk) 3/8 x 3/8 x 5/32 (100 pk) 3/8 x 3/8 x 1/4 (50 pk) 3/8 x 3/8 x 1/4 (10 pk) 3/8 x 3/8 x 3/8 (50 pk) 3/8 x 3/8 x 3/8 (10 pk) 1/2 x 1/2 x 1/4 (50 pk) 1/2 x 1/2 x 3/8 (50 pk) 1/2 x 1/2 x 1/2 (50 pk)</p>
	<p>F-400-20</p>	<p><b>Coupling Fitting</b> NPT x NPT <b>Size (in.):</b> 1/8 x 1/8 (25 pk)</p>
	<p>F-400-10</p>	<p><b>Adaptor Fitting</b> Compression x NPT <b>Size (in.):</b> 1/4 x 1/8 (25 pk)</p>
	<p>F-100-21 F-100-22 F-200-35</p>	<p><b>Adaptors: Straight Male</b> Barb x NPT <b>Size (in.):</b> 5/32 or 1/4 x 1/8 (100 pk) 5/32 x 1/4 x 1/8 (10 pk) 3/8 x 1/8 (50 pk)</p>
	<p>F-500-41 F-500-48 F-500-36</p>	<p><b>Adaptor Elbows: Male</b> Barb x NPT <b>Size (in.):</b> 1/4 x 1/8 (100 pk) 1/4 x 1/8 (10 pk) 3/8 x 1/8 (100 pk)</p>
	<p>F-500-42</p>	<p><b>Adaptor Elbow: Female</b> Barb x NPT <b>Size (in.):</b> 1/4 x 1/8 (50 pk)</p>

**Brass Barb Fittings, Tubing, and Accessories (Continued)**




Product	Code Number	Description and Use
	F-700-79	<b>Adaptor Tee: Male</b> Barb x Barb x NPT <b>Size (in.):</b> 1/4 x 1/4 x 1/8 (50 pk)
	F-700-80	<b>Adaptor Tee: Female, Drop Eared</b> Barb x Barb x NPT <b>Size (in.):</b> 1/4 x 1/4 x 1/8 (10 pk)
	F-700-76 F-700-93	<b>Adaptor Tee: Female</b> Barb x Barb x NPT <b>Size (in.):</b> 1/4 x 1/4 x 1/8 (100 pk) 1/4 x 1/4 x 1/8 (10 pk)
	F-700-62 F-700-89	<b>Adaptor Tee: Gauge</b> Barb x NPT x NPT <b>Size (in.):</b> 1/4 x 1/8 x 1/8 (50 pk) 1/4 x 1/8 x 1/8 (10 pk)
	F-200-33 F-200-40 F-200-37 F-200-41 F-200-38	<b>Adaptors: Plastic to Copper/Aluminum</b> Barb x Compression <b>Size (in.):</b> 1/4 x 1/4 (50 pk) 1/4 x 1/4 (10 pk) 3/8 x 3/8 (50 pk) 3/8 x 3/8 (10 pk) 1/2 x 1/2 (25 pk)
	F-100-20	<b>Adaptor: Plastic to Copper</b> Barb x Sweat <b>Size (in.):</b> 5/32 O.D. x 3/16 (100 pk)
	F-1000-323 F-1000-396 F-1000-241 F-1000-289	<b>Plugs</b> <b>Size (in.):</b> 1/4 or 5/32 (100 pk) 1/4 or 5/32 (10 pk) 3/8 (100 pk) 1/2 (50 pk)
	F-1000-198 F-1000-394 F-1000-184 F-1000-8	<b>Inserts: Metal for Polyethylene Tubing</b> (Color-Black) <b>Tubing Size (in.):</b> O.D.: 1/4 I.D.: 0.165 to 0.171 (100 pk) O.D.: 1/4 I.D.: 0.165 to 0.171 (10 pk) O.D. 3/8 I.D.: 0.246 to 0.256 (100 pk) O.D.: 1/2 I.D.: 0.371 to 0.381 (100 pk) Use one metal insert (black) for each compression fitting connection to polyethylene tubing.

**Brass Barb Fittings, Tubing, and Accessories (Continued)**

Product	Code Number	Description and Use
	F-1000-9 F-1000-10 F-1000-11	<b>Ferrules: Plastic</b> <b>Tubing Size (in.):</b> 1/4 (100 pk) 3/8 (100 pk) 1/2 (100 pk) Replace standard brass ferrule with this ferrule when using compression fittings for polyethylene tubing.
	T-800-6001 F-1000-13	<b>Ferrules: For Copper Tubing</b> <b>Size (in.):</b> 1/4 (100 pk) 3/8 (100 pk)
	F-700-7 F-700-87	<b>Adaptor, Tee: Female</b> Tube x Tube x NPT <b>Size (in.):</b> 1/4 x 1/4 x 1/8 (50 pk) 1/4 x 1/4 x 1/8 (10 pk)
	F-800-3 F-800-9 F-800-4 F-800-5 F-800-6 F-800-7	<b>Couplings: Straight</b> Tube x Tube <b>Size (in.):</b> 1/4 x 1/4 (100 pk) 1/4 x 1/4 (10 pk) 3/8 x 1/4 (50 pk) 3/8 x 3/8 (50 pk) 1/2 x 3/8 (25 pk) 1/2 x 1/2 (25 pk)
	F-500-18	<b>Coupling: Elbow</b> Tube x Tube <b>Size (in.):</b> 1/2 x 1/2 (25 pk)
	F-700-9 F-700-88 F-700-44 F-700-10 F-700-11 F-700-12 F-700-13	<b>Couplings: Tee</b> Tube x Tube x Tube <b>Size (in.):</b> 1/4 x 1/4 x 1/4 (50 pk) 1/4 x 1/4 x 1/4 (10 pk) 3/8 x 1/4 x 1/4 (25 pk) 3/8 x 3/8 x 1/4 (25 pk) 3/8 x 3/8 x 3/8 (25 pk) 1/2 x 1/2 x 3/8 (10 pk) 1/2 x 1/2 x 1/2 (10 pk)
	F-1000-14 F-1000-393	<b>Sealing Cap: Compression</b> 1/4 in. (50 pk) 1/4 in. (10 pk)
	F-1000-35	<b>Nut: Compression</b> 1/4 in. (100 pk)

Product	Code Number	Description and Use
	<p><b>F-200-2</b> <b>F-200-3</b> <b>F-200-39</b> <b>F-1000-36</b> <b>F-200-4</b> <b>F-200-5</b> <b>F-200-6</b> <b>F-200-8</b> <b>F-200-9</b></p>	<p><b>Adaptors: Straight, Male</b> Tube x NPT <b>Size (in.):</b> 3/16 x 1/8 (100 pk) 1/4 x 1/8 (100 pk) 1/4 x 1/8 (10 pk) 1/4 x 1/4 (100 pk) 3/8 x 1/8 (50 pk) 3/8 x 1/4 (50 pk) 3/8 x 3/8 (50 pk) 1/2 x 3/8 (25 pk) 1/2 x 1/2 (25 pk)</p>
	<p><b>F-500-2</b> <b>F-500-3</b> <b>F-500-46</b> <b>F-500-4</b> <b>F-500-5</b> <b>F-500-6</b> <b>F-500-8</b> <b>F-500-9</b></p>	<p><b>Adaptors: Elbow, Male</b> Tube x NPT <b>Size (in.):</b> 3/16 x 1/8 (50 pk) 1/4 x 1/8 (25 pk) 1/4 x 1/8 (10 pk) 3/8 x 1/8 (50 pk) 3/8 x 1/4 (25 pk) 3/8 x 3/8 (50 pk) 1/2 x 3/8 (25 pk) 1/2 x 1/2 (25 pk)</p>

## Compression Fittings

Product	Code Number	Description and Use
	<p>F-1000-93 F-1000-94</p>	<p><b>Needle Valves</b> Tube (Comp) x Tube (Comp) <b>Size (in.)</b> 1/4 x 1/4 3/8 x 3/8</p>
	<p>F-700-4</p>	<p><b>Adaptors: Tee, Male</b> Tube x Tube x NPT <b>Size (in.)</b> 1/4 x 1/4 x 1/8</p>
	<p>F-700-6</p>	<p><b>Adaptor: Tee, Male Run</b> Tube x Tube x NPT <b>Size (in.)</b> 1/4 x 1/4 x 1/8</p>